



COOLING JACKETS



Cooling jacket (PVC) for submersible pumps 4'' - 6''

F - Borehole P - Well



Code	Model	Motor kW Ø diam.	Pump Ø diam.	Dimensions Ø
2060104302	4 / 4 F	Até 2,2 kW / 4"	4"	110
2060104304	4 / 4 F	Até 4 kW / 4"	4"	110
2060104307	4 / 4 F	Até 7,5 kW / 4"	4"	110
2060104402	4 / 4 F	2,2 kW / 4"	4"	125
2060104403	4 / 4 F	3 kW / 4"	4"	125
2060104404	4 / 4 F	4 kW / 4"	4"	125
2060104405	4 / 4 F	5,5 kW / 4"	4"	125
2060104407	4 / 4 F	7,5 kW / 4"	4"	125
2060104602	4 / 6 F	2,2 kW / 4"	6"	160
2060104603	4 / 6 F	3 kW / 4"	6"	160
2060104604	4 / 6 F	4 kW / 4"	6"	160
2060104605	4 / 6 F	5,5 kW / 4"	6"	160
2060106604	6 / 6 F	4 kW / 6"	6"	200
2060106605	6 / 6 F	5,5 kW / 6"	6"	200
2060106607	6 / 6 F	7,5 kW / 6"	6"	200
2060106609	6 / 6 F	9,3 kW / 6"	6"	200
2060106611	6 / 6 F	11 kW / 6"	6"	200
2060106615	6 / 6 F	15 kW / 6"	6"	200
2060106618	6 / 6 F	18,5 kW / 6"	6"	200
2060106622	6 / 6 F	22 kW / 6"	6"	200
2060106630	6 / 6 F	30 kW / 6"	6"	200
2060106637	6 / 6 F	37 kW / 6"	6"	200
2060106645	6 / 6 F	45 kW / 6"	6"	200
2060114402	4 / 4 P	2,2 kW / 4"	4"	125
2060114403	4 / 4 P	3 kW / 4"	4"	125
2060114404	4 / 4 P	4 kW / 4"	4"	125
2060114405	4 / 4 P	5,5 kW / 4"	4"	125
2060114407	4 / 4 P	7,5 kW / 4"	4"	125
2060114602	4 / 6 P	2,2 kW / 4"	6"	160
2060114603	4 / 6 P	3 kW / 4"	6"	160
2060114604	4 / 6 P	4 kW / 4"	6"	160
2060114605	4 / 6 P	5,5 kW / 4"	6"	160
2060116604	6 / 6 P	4 kW / 6"	6"	200
2060116605	6 / 6 P	5,5 kW / 6"	6"	200
2060116607	6 / 6 P	7,5 kW / 6"	6"	200
2060116609	6 / 6 P	9,3 kW / 6"	6"	200
2060116611	6 / 6 P	11 kW / 6"	6"	200
2060116615	6 / 6 P	15 kW / 6"	6"	200
2060116618	6 / 6 P	18,5 kW / 6"	6"	200
2060116622	6 / 6 P	22 kW / 6"	6"	200
2060116630	6 / 6 P	30 kW / 6"	6"	200
2060116637	6 / 6 P	37 kW / 6"	6"	200
2060116645	6 / 6 P	45 kW / 6"	6"	200

Cooling jacket (PVC) for submersible pumps 4'' - 6'' H – Horizontal



Code	Mode	Motor kW Ø diam	Pump Ø diam	Dimensions Ø
2060124402	4 / 4 H	2,2 kW / 4"	4"	125
2060124403	4 / 4 H	3 kW / 4"	4"	125
2060124404	4 / 4 H	4 kW / 4"	4"	125
2060124405	4 / 4 H	5,5 kW / 4"	4"	125
2060124407	4 / 4 H	7,5 kW / 4"	4"	125
2060124602	4 / 6 H	2,2 kW / 4"	6"	160
2060124603	4 / 6 H	3 kW / 4"	6"	160
2060124604	4 / 6 H	4 kW / 4"	6"	160
2060124605	4 / 6 H	5,5 kW / 4"	6"	160
2060126604	6 / 6 H	4 kW / 6"	6"	200
2060126605	6 / 6 H	5,5 kW / 6"	6"	200
2060126607	6 / 6 H	7,5 kW / 6"	6"	200
2060126609	6 / 6 H	9,3 kW / 6"	6"	200
2060126611	6 / 6 H	11 kW / 6"	6"	200
2060126615	6 / 6 H	15 kW / 6"	6"	200
2060126618	6 / 6 H	18,5 kW / 6"	6"	200
2060126622	6 / 6 H	22 kW / 6"	6"	200
2060126630	6 / 6 H	30 kW / 6"	6"	200
2060126637	6 / 6 H	37 kW / 6"	6"	200
2060126645	6 / 6 H	45 kW / 6"	6"	200