



EXPANSION VESSEL WITH MEMBRANE



CE

**PED 2014/68/UE
STAINLESS STEEL AISI 304**

Aço Inoxidável AISI 304 | Acero Inoxidable AISI 304 | Acier Inoxydable AISI 304


RESERVATÓRIOS HIDROPNEUMÁTICOS COM MEMBRANA INTERCAMBIÁVEL
DEPÓSITOS DE EXPANSIÓN CON MEMBRANA INTERCAMBIABLE
EXPANSION VESSELS WITH INTERCHANGEABLE MEMBRANE
VASES D`EXPANSION AVEC MEMBRANE INTERCHANGEABLE

2 bar - Pré-carga; Precarga; Precharge pressure; Pression de pré charge

SÉRIE VIM

PED 97/23/CE

Modelo / Model	Volume / Volum I	P. Máx. Bar	A mm	B mm	C	Temp. °C
20 VIM	20	8	470	270	1 "	-10 + 100 °C
24 VIM	24	8	377	365	1 "	-10 + 100 °C
40 VIM	40	8	775	320	1 "	-10 + 100 °C
50 VIM	50	8	790	365	1 "	-10 + 100 °C
70 VIM	70	8	880	400	1 "	-10 + 100 °C
100 VIM	100	8	920	480	1 "	-10 + 100 °C
200 VIM	200	8	1290	540	1 ½ "	-10 + 70 °C
300 VIM	300	8	1390	635	1 ½ "	-10 + 70 °C
500 VIM	500	8	1440	790	1 ½ "	-10 + 70 °C
750 VIM	750	8	1890	790	2 "	-10 + 70 °C
1000 VIM	1000	8	1775	930	2 "	-10 + 70 °C



RESERVATÓRIOS HIDROPNEUMÁTICOS COM MEMBRANA INTERCAMBIÁVEL
DEPÓSITOS DE EXPANSIÓN CON MEMBRANA INTERCAMBIABLE
EXPANSION VESSELS WITH INTERCHANGEABLE MEMBRANE
VASES D'EXPANSION AVEC MEMBRANE INTERCHANGEABLE

2 bar - Pré-carga; Precarga; Precharge pressure; Pression de pré charge

SÉRIE HIM

PED 97/23/CE

Modelo / Model	Volumen / Volum I	P. Máx. Bar	A mm	B mm	C	Temp. °C
20 HIM	20	8	270	470	1 "	-10 + 100 °C
40 HIM	40	8	320	613	1 "	-10 + 100 °C
50 HIM	50	8	365	655	1 "	-10 + 100 °C
70 HIM	70	8	400	690	1 "	-10 + 100 °C
100 HIM	100	8	480	720	1 "	-10 + 100 °C
200 HIM	200	8	540	1070	1 ½ "	-10 + 70 °C
300 HIM	300	8	635	1180	1 ½ "	-10 + 70 °C

